



# Food Inspection Report

Permit No. AFS-19-0043

District No. 3

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. This time limit for correction of each violation is specified in the narrative portion of this report.

**Establishment Name**

JUICE JAR

**Establishment Telephone Number**

(260) 755-0115

**Date of Inspection**

11/05/2019

**Establishment Address**

6312 - 6312 COVINGTON RD, STE# A - A  
FORT WAYNE, IN 46804

**Owner Telephone Number**

(260) 755-0115

**Purpose of Inspection**

FOOD-Opening Inspection

**Owner Name**

Jill & Scott Howard

**Responsible Person's E-mail**

juicejarlife@yahoo.com

**Summary of Violations:**

C 0 NC 0 R 0

**Owner's Address**

9106 Timber Ridge Ct, Fort Wayne, IN  
46804

**Person in Charge**

Jill Howard

**Follow-up Inspection**

**Certified Food Handler**

Jill Howard

**Menu Type**

Type 2

Nat'l Registry #21276141

9/28/21

\* CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

\* VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Summary

All requirements have been met except:

1. Repair or replace damaged ceiling tiles in front service area.  
To be completed by: 11/19/19

2. Seal gaps at wall/floor juncture.  
To be completed by: 11/19/19

3. Install covers for electrical outlets and exposed wiring throughout establishment.  
To be completed by: 11/19/19

Note: Discussed that since the juice is not treated under a HACCP plan as specified in subsection 115(a)(2) through 115(a)(5) of the rule to attain a 5-log reduction, which is equal to a ninety-nine and nine hundred ninety-nine thousandths percent (99.999%) reduction, of the most resistant microorganism of public health significance, the juice must include this statement on the label "WARNING: This product has not been pasteurized and, therefore, may contain harmful bacteria that can cause serious illness in children, the elderly, and persons with weakened immune systems."

Establishment is approved to operate. Permit will be mailed.

A copy of the Indiana Food Code must be provided on site.

A full set of floor plans must be submitted to the Health Department prior to any future remodeling. Contact the Health Department prior to any equipment or menu changes.

**Received by** Jill Howard

**Inspected by** Michelle Radosevich 11/5/19

**Received by (Signature)**

**Inspected by (Signature)**

cc: Schumm; Nirva

*Michelle Radosevich*  
SN

*Jill Howard*